UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/524,961	09/28/2005	Jeffrey Wilson	DYOUP0286US	3621
23908 7590 10/24/2008 RENNER OTTO BOISSELLE & SKLAR, LLP 1621 EUCLID AVENUE			EXAMINER	
			BROOKS, SHANNON	
NINETEENTH FLOOR CLEVELAND, OH 44115			ART UNIT	PAPER NUMBER
,			2617	
			MAIL DATE	DELIVERY MODE
			10/24/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/524,961	WILSON, JEFFREY			
Office Action Summary	Examiner	Art Unit			
	SHANNON R. BROOKS	2617			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on 15 Au This action is FINAL . 2b) ☑ This Since this application is in condition for allowant closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-15,19-35 and 39-42 is/are pending i 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-15,19-35 and 39-42 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine	vn from consideration.				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 7/30/08.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite			

Art Unit: 2617

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/30/08 has been entered.

Response to Arguments

2. Applicant's arguments filed 7/30/08 have been fully considered but they are not persuasive.

The argued features, i.e., means operable to support execution of one or more messaging applications, wherein an application may be executed for each of any or all messages that arrive at the apparatus in a mobile originated format; means for storing message attributes matched to respective messaging applications; means for comparing, for each message, an attribute of that message with the stored message attributes, and operable thereby to select the respective messaging application on the basis of the comparison; and means for executing the selected messaging application, execution of the selected application including processing, transforming and/or routing the respective message.

Bennett is discussing methods for facilitating communication among a plurality of different telecommunications systems. Communications from a sending network are

Art Unit: 2617

forwarded to a server that places the communications in a format acceptable to a second receiving network. The server maps an incoming message into a variety of formats in accordance with a format acceptable by a receiving network. Communications may include short messages service (SMS) messages in which the sending and receiving telecommunications systems each have different routing information, such as different electronic addressing formats. Bennett teaches three users sending mobile originating (MO) messages over the Web, by WAP phone, and by MO SMS phone across the network to an end user (Fig. 1, and [0019]-[0025]). Therefore, Bennett clearly meets the claim limitation of "means operable to support execution of one or more messaging applications, wherein an application may be executed for each of any or all messages that arrive at the apparatus in a mobile originated format." Bennet clearly teaches a server that applies different formats and mappings to messages that use different networks and protocols. Therefore, Bennett clearly teaches "means for storing message attributes matched to respective messaging applications". Bennett teaches a server that acts as a broker, translator, or reformatter of messages for different network types. Therefore, Bennett clearly teaches "means for comparing, for each message, an attribute of that message with the stored message attributes, and operable thereby to select the respective messaging application on the basis of the comparison". Bennett discusses executing applications that transform voice to e-mail or e-mail to voice and sending the results to destinations. Therefore, Bennett clearly teaches "means for executing the selected messaging application, execution of the selected application including processing, transforming and/or routing the respective message."

The Applicant has argued specifically that the MO messages of Bennett are different from the MO messages of the Applicant because the Applicant, in contrast to Bennett, teaches

Application/Control Number: 10/524,961

Art Unit: 2617

MO messages that arrive in the MO path at the apparatus in MO format. The applicant argues further that Bennett teaches a scheme in which the apparatus receives messages that have already passed through a Short Message Service Center and therefore must arrive at the terminal in mobile terminated (MT) format. The Examiner respectfully disagrees. Bennet discloses an apparatus (The Web server and SMS router, item 24, Fig. 1) that receives a message (from user 12 to be routed to end user 20 of Fig. 1) that arrive at the SMS router (item 24) before passing through a SMSC (item 18) (Pg. 3, [0032]). The apparatus can clearly handle messages that arrive in one or more messaging format (Pg. 5, [0062]). Therefore, Bennett clearly reads on the argued limitation of "means operable to support execution of one or more messaging applications, wherein an application may be executed for each of any or all messages that arrive at the apparatus in a mobile originated format." Note that the definition provided by the Applicant for MT and MO formats is "mobile originated (MO), mobile originated format, mobile terminated, and mobile terminated format have their accepted meanings according the generally recognized technical specifications for mobile telecommunication services. Accordingly, an MO message is an originating message that has not previously passed through an SMSC providing a store-and-forward function for the telecommunications network whereas an MT message is an MO message that has been converted by the SMSC to a mobile terminated format." The Applicant argues that rejections advanced by the Examiner should be withdrawn based upon an inconsistent interpretation of the meanings of MO and MT messages. The Examiner respectfully disagrees for reasons previously stated.

Page 4

Art Unit: 2617

Further, Bennett, Allison, McCann, and Khello, alone or in combination, read upon the argued limitations as discussed above and read on the argued limitations as set forth in the following office action.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 5. Claims 1-5, 7-8, 10, 12-15, 21-25, 27-28, 30, 32-35, and 41-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bennett (US 2002/0112041 A1) in view of Allison (US 2003/0083078 A1).

Consider **Claim 1**, Bennet teaches telecommunications services apparatus for use with a telephone network, the apparatus comprising: means operable to support execution of one or

Art Unit: 2617

more messaging applications, wherein an application may be executed for each of any or all messages that arrive at the apparatus (Pg. 5, [0062]) in a mobile originated format (read as a message format that has not previously passed through an SMSC and becoming MT after passing through an SMSC, Pg. 3, [0032]); means for storing message attributes (read as server, Pg. 5, [0062]) matched to respective messaging applications (read as different types of sources for message creation, Pg. 5, [0062] and Pg. 5, [0069]); means for comparing, for each message, an attribute of that message with the stored message attributes, and operable thereby to select the respective messaging application on the basis of the comparison (read as broker, translator, or reformatter, Pg. 5, [0062]); and means for executing the selected messaging application, execution of the selected application including processing, transforming (read as voice-to-email or email-to-voice) and/or routing the respective message (Pg. 4, [0050]-[0052]).

Bennett does not specifically and definitively teach an attribute. However, Allison teaches an attribute (Pg. 2, [0016]).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of Allison into Bennet to aid in the identification of a sending or receiving party (Pg. 2, [0016]).

Consider Claim 21, Bennett teaches a telecommunications services method for a telephone network, the method comprising: supporting execution of one or more messaging applications, wherein an application may be executed for each of any or all input messages (Pg. 5, [0062]) received in a mobile originated format (read as a message format that has not previously passed through an SMSC and becoming MT after passing through an SMSC, Pg. 3, [0032]); storing message attributes (read as stored in server, Pg. 5, [0062]) matched to

respective messaging applications (read as different types of sources for message creation, Pg. 5, [0062] and Pg. 5, [0069]); comparing, for each message, an attribute of that message with the stored message attributes, and thereby selecting the respective messaging application on the basis of the comparison (read as broker, translator, or reformatter, Pg. 5, [0062]); and executing the selected messaging application, execution of the selected application including processing, transforming (read as voice-to-email or email-to-voice) and/or routing the respective message (Pg. 4, [0050]-[0052]).

Bennett does not specifically and definitively teach an attribute. However, Allison teaches an attribute (Pg. 2, [0016]).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of Allison into Bennet to aid in the identification of a sending or receiving party (Pg. 2, [0016]).

Consider Claim 2, Bennett teaches apparatus, wherein the message attributes include destination address (Pg. 3, [0032] and [0047, and Pg. 4, [0049] and [0057]).

Consider Claim 3, Bennett teaches apparatus, wherein the message attributes include destination address type (Pg. 3, [0040] and [0043], Pg. 4, [0057], Pg. 5, [0062], and Pg. 5, Table 1).

Consider Claim 4, Bennett teaches apparatus, wherein the message attributes include originating address (Pg. 4, [0052] and Pg. 8, [0094]).

Consider Claim 5, Bennett teaches apparatus, wherein the message attributes include originating address type (read as MIN, phone number, or email address, Pg. 4, [0052] and Pg. 8, [0094, and Pg. 5, [0062] and Table 1].

Consider Claim 7, Bennett teaches apparatus, wherein the message attributes include message content (Pg. 7, [0086]-[0087]).

Consider Claim 8, Bennett teaches apparatus, comprising at least one SMS router for routing messages to the means operable to support execution of one or more messaging applications (Fig. 1, Blocks 18 and 26c).

Consider Claim 10, Bennett teaches apparatus, comprising a message transformation means for parsing, interpreting and transforming message content and addressing in order to generate a response message (Pg. 4, [0050]-[0052] and Pg. 5, [0062] and [0069]).

Consider Claim 12, Bennet teaches apparatus, wherein the response message is routed via the SMS router (read as server 24, Pg. 5, [0062]).

Consider Claim 13, Bennett teaches apparatus, wherein the response message is in mobile terminated form (read as a received message from the network, Pg. 2, [0025]).

Consider Claim 14, Bennet teaches apparatus, wherein the response message is routed over a data network (Pg. 2, [0025] and Pg. 4, [0053]).

Consider Claim 15, Bennett teaches apparatus, wherein the message transformation means is operable to return a response message back to the original sender without requiring a routing query to a home location register (HLR), the response addressing and routing information being derived from the original message (Pg. 5, [0069]).

Consider Claim 22, Bennett teaches a method according to claim 21, wherein the message attributes include destination address (Pg. 3, [0032] and [0047, and Pg. 4, [0049] and [0057]).

Consider Claim 23, Bennett teaches a method according to claim 21, wherein the

Application/Control Number: 10/524,961

Art Unit: 2617

message attributes include destination address type (Pg. 3, [0040] and [0043], Pg. 4, [0057], Pg. 5, [0062], and Pg. 5, Table 1).

Consider Claim 24, Bennett teaches a method according to claim 21, wherein the message attributes include originating address (Pg. 4, [0052] and Pg. 8, [0094]).

Consider Claim 25, Bennett teaches a method according to claim 21, wherein the message attributes include originating address type type (read as MIN, phone number, or email address, Pg. 4, [0052] and Pg. 8, [0094, and Pg. 5, [0062] and Table 1].

Consider Claim 27, Bennett teaches a method, wherein the message attributes include message content (Pg. 7, [0086]-[0087]).

Consider Claim 28, Bennett teaches a method according to claim 21, including routing messages via at least one SMS router for execution of one or more messaging applications (Fig. 1, Blocks 18 and 26c).

Consider Claim 30, Bennett teaches a method according to claim 21, comprising a message transformation step for parsing, interpreting and transforming message content and addressing in order to generate a response message (Pg. 4, [0050]-[0052] and Pg. 5, [0062] and [0069]).

Consider Claim 32, Bennett teaches a method, wherein the response message is routed via the SMS router (read as server 24, Pg. 5, [0062]).

Consider Claim 33, Bennett teaches a method according to claim 30, wherein the response message is in mobile terminated form (read as a received message from the network, Pg. 2, [0025]).

Consider Claim 34, Bennett teaches a method, wherein the response message is routed

over a data network (Pg. 2, [0025] and Pg. 4, [0053]).

Consider Claim 35, Bennett teaches a method according to claim 30, wherein the message transformation step is operable to return a response message back to the original sender without requiring a routing query to a home location register (HLR), the response addressing and routing information being derived from the original message (Pg. 5, [0069].

Consider Claim 41, Bennett teaches a computer program for implementing a method according to claim 21 (Fig. 1a).

Consider Claim 42, Bennet teaches a storage medium storing a computer program according to claim 41 (Fig. 1a).

6. Claims 6, 11, 19-20, 26, 31, and 39-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bennett (US 2002/0112041 A1) in view of Allison (US 2003/0083078 A1) and further in view of McCann (US 2001/0029182 A1).

Consider **Claim 6**, Bennett teaches apparatus, except that it does not specifically teach the apparatus wherein the message attributes include signaling fields.

However, McCann teaches the apparatus wherein the message attributes include signaling fields (Pg. 8, [0069]).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of McCann into Bennett in order to aid in processing (Pg. 8, [0069]).

Consider Claim 11, Bennett teaches apparatus, except that it does not specifically teach

the apparatus wherein the response message is generated according to a programmable table of exceptions.

However, McCann teaches the apparatus wherein the response message is generated according to a programmable table of exceptions (Pg. 8, [0069]).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of McCann into Bennett in order to aid in the processing of signaling messages (Pg. 8, [0069]).

Consider **Claim 19**, Bennett teaches apparatus, except that it does not specifically teach the apparatus wherein the routing query is an SRI-SM MAP message.

However, McCann teaches the apparatus wherein the routing query is an SRI-SM MAP message (Pg. 4, [0042] and Fig. 13).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of McCann into Bennett in order to determine if access to the requested node is actually necessary (Pg. 10, [0085]).

Consider **Claim 20**, Bennett teaches apparatus, except that it does not specifically teach the apparatus wherein the routing information obtained from the original message is in the form of an international mobile subscriber identifier (IMSI) and a visitor location register (VLR) address corresponding to the sender's location.

However, McCann teaches the apparatus wherein the routing information obtained from the original message is in the form of an international mobile subscriber identifier (IMSI) and a visitor location register (VLR) address corresponding to the sender's location (**Pg. 6, [0054]).**

Art Unit: 2617

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of McCann into Bennett in order to facilitate directing signaling messages (Pg. 6, [0054]).

Consider **Claim 26**, Bennett teaches a method, except that it does not specifically teach a method wherein the message attributes include signalling fields.

However, McCann teaches a method wherein the message attributes include signaling fields (Pg. 8, [0069]).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of McCann into Bennett in order to aid in processing (Pg. 8, [0069]).

Consider **Claim 31**, Bennett teaches a method, except that it does not specifically teach a method wherein the response message is generated according to a programmable table of exceptions.

However, McCann teaches the method wherein the response message is generated according to a programmable table of exceptions (Pg. 8, [0069]).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of McCann into Bennett in order to aid in the processing of signaling messages (Pg. 8, [0069]).

Consider **Claim 39**, Bennett teaches a method, except that it does not specifically teach a method wherein the routing query is an SRI-SM MAP message.

However, McCann teaches the method wherein the routing query is an SRI-SM MAP message (Pg. 4, [0042] and Fig. 13).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of McCann into Bennett in order to determine if access to the requested node is actually necessary (Pg. 10, [0085]).

Consider **Claim 40**, Bennett teaches a method, except that it does not specifically teach a method wherein the routing information obtained from the original message is in the form of an international mobile subscriber identifier (IMSI) and a visitor location register (VLR) address corresponding to the sender's location.

However, McCann teaches the method wherein the routing information obtained from the original message is in the form of an international mobile subscriber identifier (IMSI) and a visitor location register (VLR) address corresponding to the sender's location (**Pg. 6, [0054]**).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of McCann into Bennett in order to facilitate directing signaling messages (Pg. 6, [0054]).

7. Claims 9, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bennett (US 2002/0112041 A1) in view of Allison (US 2003/0083078 A1) and further in view of Khello (US 7027582 B2).

Consider **Claim 9**, Bennett teaches apparatus, except that it does not specifically teach an apparatus including an SMS service control point (SCP) such that service logic may operate in the SMS router in conjunction with centralised intelligence in the SMS SCP.

However, Khello teaches teach an apparatus including an SMS service control point (SCP) such that service logic may operate in the SMS router in conjunction with centralised intelligence in the SMS SCP (Col. 7, lines 37-57).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of Khello into Bennett in order to provide an intelligent network trigger (Col. 7, lines 37-57).

Consider **Claim 29**, Bennett teaches a method, except that it does not specifically teach a method wherein service logic may operate in the SMS router in conjunction with centralised intelligence in an SMS service control point (SCP).

However, Khello teaches teach a method wherein service logic may operate in the SMS router in conjunction with centralised intelligence in the SMS SCP (Col. 7, lines 37-57).

Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the teaching of Khello into Bennett in order to provide an intelligent network trigger (Col. 7, lines 37-57).

Conclusion

8. Any response to this Office Action should be **faxed to** (571) 273-8300 **or mailed to:**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Hand-delivered responses should be brought to

Customer Service Window

Art Unit: 2617

Randolph Building

401 Dulany Street

Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shannon Brooks whose telephone number is (571) 270-1115. The examiner can normally be reached on 7:30a.m. to 5p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nick Corsaro can be reached on (571) 272-7876. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

/Shannon R. Brooks/

Art Unit: 2617

Examiner, Art Unit 2617

Shannon Brooks

October 16, 2008

/NICK CORSARO/

Supervisory Patent Examiner, Art Unit 2617